



1945 S Fremont Drive
 Salt Lake City, Utah 84104
 Phone: 801.973.8824
 www.dyadlabs.com

Certificate Of Analysis

Certificate ID 115061
 Report Date 10-26-2020
 Customer PO
 Receipt Date 10-22-2020
 Test Completion Date 10-26-2020


Analytical Testing Results

Customer Lot 20100706 Lab Sample ID 583618
 Description Nutricost Organic Matcha Powder (Culinary Grade) (8 OZ) Serving Size 1 Grams

Analysis	Test Type	Method	Specification	Result	U/M
Aerobic Plate Count	Aerobic Plate Count	AOAC 990.12/GL-412	< 10000000	<10	cfu/g
Coliforms	Coliforms	^ AOAC 991.14/GL-420	< 10000	<10	cfu/g
E. coli	E. coli	Modified USP <2022>/GL-425	Negative	Negative	/10g
Staphylococcus aureus	Staphylococcus aureus	^ USP <2022>/GL-441	Negative	Negative	/10g
Salmonella	Salmonella	Modified USP <2022>/GL-465	Negative	Negative	/10g
Yeasts and Molds	Yeasts and Molds	^ AOAC 2014.05/GL-451	< 100000	<10	cfu/g
Arsenic (As)	ICP-MS	^ AOAC 993.14/GL-500	< 10	0.0133	mcg/serv
Cadmium (Cd)	ICP-MS	^ AOAC 993.14/GL-500	< 4.1	0.0123	mcg/serv
Lead (Pb)	ICP-MS	^ AOAC 993.14/GL-500	< 0.5	0.0571	mcg/serv
Mercury (Hg)	DMA	^ EPA 7473/GL-585	< 10	0.0029	mcg/serv

Lab Comments:
 MFG DATE: 10/22/2020

Reviewed By: Erik Richter

Approved By: 
 Edgar Grigorian, VP of Technical Affairs
 On Behalf of Dyad Labs

The results apply only to the sample(s) provided by the client. Client shall not at any time misrepresent or alter the contents of this report. Any violation of these conditions voids this report. Dyad Labs assumes no responsibility, and client hereby waives all claims against Dyad Labs, for interpretation of such results. The results apply only to the sample(s) provided by the client. All work is done in accordance with Dyad Labs Terms and Conditions of Sale. Full text available on www.dyadlabs.com/Terms